

# TANSUN APOLLO ELECTRIC RADIANT HEATERS

The Tansun Apollo is a high-quality infrared heater designed to heat large, open spaces. It is a durable, effective, and energy-efficient heating solution that is suitable for both indoor and outdoor use. It includes a guard for added safety. It is designed to run parallel down the sides of a building, providing dual heat coverage from both sides and emitting a comfortable full shortwave heat to persons and objects within its reach.

Available in the following sizes;

Double 4kW - The Apollo Double shortwave infrared space heater is available in 4kW power output with single phase wiring.

Triple 6kW - Tansun's Apollo Triple 6kW shortwave infrared space heater comes standard with three phase wiring.



Uses	Applications	Features
Heating	<ul style="list-style-type: none"><li>• Commercial Infrared Heating</li><li>• Warehouses, Factories, Workshops</li><li>• Hospitality</li><li>• Garages</li><li>• Terraces, Patios</li><li>• Sports Halls</li><li>• Shopping Centres</li><li>• Churches</li><li>• Aircraft Hangars</li><li>• Driving Ranges</li></ul>	<ul style="list-style-type: none"><li>• Quartz Infrared Heater</li><li>• Aluminium Extrusion Body</li><li>• Available in 4kW &amp; 6kW</li><li>• Low Glare</li><li>• Easy Installation</li><li>• Suitable for indoor or protected applications.</li></ul>




# TANSUN APOLLO ELECTRIC RADIANT HEATERS

## SPECIFICATION


Model No	APOLLO-DOUBLE4	APOLLO-TRIPLE6
Power (kW)	4	6
Voltage (V)	230	400
Connection	Hardwired	Hardwired
Lamps x Power	2 x 1kW	3 x 2kW
Heating Area	46.8m <sup>2</sup>	65.5m <sup>2</sup>
Min height from floor	2.5m	3m
Min distance from ceiling	0.15m	0.5m
Min distance from side wall	1m	1.5m
Weight without guard (kg)	6	8
Dimensions (mm) WxHxD	857 x 255 x 110	1282 x 255 x 110

APOLLO DOUBLE 4KW HEAT COVERAGE



Heat Zone = 35.3m sq.

APOLLO TRIPLE 6KW HEAT COVERAGE



Heat Zone = 41.6m sq.



**FANMASTER**  
COOLING HEATING VENTILATION EXTRACTION