## HALOGEN INFRARED RADIANT HEATER

The Fanmaster HIH2000 is a powerful infrared heater that generates 2000 watts of radiant heat. This means that it can warm both objects and people directly, without the need to heat up the air first. This makes it an ideal heater for outdoor use, as it can provide instant warmth on chilly evenings.

The Fanmaster HIH2000 is made of a high-quality, long-lasting stainless steel housing. This makes it both durable and rust-resistant. The heater also has an adjustable bracket that allows you to change the angle at which the heat is directed. This means that you can direct the heat where you need it most, whether it's on your patio, deck, or even in your garage.

In addition to being powerful and durable, the Fanmaster HIH2000 is also safe and environmentally friendly. It does not burn oxygen or reduce air moisture, so you can use it with confidence knowing that it is not harmful to your health or the environment.

Please note that infrared spread may be reduced by 1/3 to 1/2 in exposed regions with air movement and wind. In certain locations, we propose increasing the number of heaters accordingly.







Uses	Applications	Features
Heating	Patios, Gazebos, Backyards,	Infrared Heat
	Balconies, Decks, Verandahs	Remote Control + 24 Hour Timer
	Outdoor Dining Areas	Control
	Restaurants, Pubs, Bars	IP65 Rated
	Garages, Workshops	Aluminum housing with 304
		stainless steel mesh (rated IP65)
		Heating Area 6-12m²
		Silent Operation
		Ultra-low Glare, Soft Light
		Overheating Protection
		Hanging/Mounting bracket
		included for installation



## HALOGEN INFRARED RADIANT HEATER

SPECIFICATION		
Model No	HIH2000	
Power	2000W	
Voltage	230 V – 50Hz	
Plug Connection	3 Pin 10 amp	
Element	Low Glare Amber Lamp	
Heater Type	Electric Radiant/Infrared	
IP Rating	IP65	
Install type	Ceiling/Wall Mount or Pedestal	
Heating Area	6-12m <sup>2</sup>	
Warm-up Time	5-10 Seconds	
Safety Device	Overheating protection	
Function	Remote Control On/Off	
Colour	Black	
Installation	Wall (min 1.8m from floor) & Ceiling Mounted (min 0.5M from ceiling and wall)	
Power Cord Length (m)	1.8	
Measurements (cm)	46*19*7.5cm (12cm depth including mounting plate)	
Weight (kg)	3.5	





